



CAM Cable Assemblies

Extensions

- SC Type Stage Cable (#2Awg, 2/0 , 4/0)
- Standard Lengths - 25', 50', 100'
- Available banded or single
- Leviton / ECT Cam connectors



Catalog Number	Ampacity	Length	Cable
100EXTCL-25*	100	25'	#2 SC (Stage Cable)
100EXTCL-50*	100	50'	#2 SC (Stage Cable)
100EXTCL-100*	100	100'	#2 SC (Stage Cable)
200EXTCL-25*	200	25'	2/0 SC (Stage Cable)
200EXTCL-50*	200	50'	2/0 SC (Stage Cable)
200EXTCL-100*	200	100'	2/0 SC (Stage Cable)
400EXTCL-25*	400	25'	4/0 SC (Stage Cable)
400EXTCL-50*	400	50'	4/0 SC (Stage Cable)
400EXTCL-100*	400	100'	4/0 SC (Stage Cable)

* = Color : A = Black ; B = White ; C = Red ; D = Blue ; E = Green

Tie-ins (*PIGTAILS*)

- SC Type Stage Cable (#2Awg, 2/0 , 4/0)
- Standard Lengths - 5', 10'
- Available banded or single
- Leviton / ECT Cam connectors



Catalog Number	Ampacity	Length	Cable
100PTCL-5*	100	5'	#2 SC (Stage Cable)
100PTCL-10*	100	10'	#2 SC (Stage Cable)
200EXTCL-5*	200	5'	2/0 SC (Stage Cable)
200EXTCL-10*	200	10'	2/0 SC (Stage Cable)
400EXTCL-5*	400	5'	4/0 SC (Stage Cable)
400EXTCL-10*	400	10'	4/0 SC (Stage Cable)

* = Color : A = Black ; B = White ; C = Red ; D = Blue ; E = Green

Banded Cables and Custom Lengths

Union Connector can band cable sets with flexible heat-shrink tubing, or build cables to special lengths. We can also build special cables with cam devices to meet special needs without incurring major setup fees. For more information or a price quotation, contact Union Connector at 631-753-9550, or one of your local Union Connector sales reps.



Stage Pin Extension Cables

20A. Extensions

- 12/3 SO Type Hard-usage Cable
- Standard 20A. 2P&G connectors
- Standard Lengths - 5' - 100'
- Clear covers



Catalog Number	Ampacity	Voltage	Length	Cable
20EXTGP-5	20	125	5'	12/3SO
20EXTGP-10	20	125	10'	12/3SO
20EXTGP-25	20	125	25'	12/3SO
20EXTGP-50	20	125	50'	12/3SO
20EXTGP-75	20	125	75'	12/3SO
20EXTGP-100	20	125	100'	12/3SO

60A. & 100A. Extensions

- SC Type Stage Cable
- 60A. and 100A.
- 120V. And 240V. available
- Standard Lengths - 5' - 100'
- Banded with shrink tubing



Catalog Number	Ampacity	Voltage	Length	Cable
60EXTGP-5	60	125	5'	#6 SC
60EXTGP-25	60	125	25'	#6 SC
60EXTGP-50	60	125	50'	#6 SC
60EXTGP-100	60	125	100'	#6 SC
60EXTHG-5	60	240	5'	#6 SC
60EXTHG-25	60	240	25'	#6 SC
60EXTHG-50	60	240	50'	#6 SC
60EXTHG-100	60	240	100'	#6 SC
100EXTGP-5	100	125	5'	#4 SC
100EXTGP-25	100	125	25'	#4 SC
100EXTGP-50	100	125	50'	#4 SC
100EXTGP-100	100	125	100'	#4 SC
100EXTHG-5	100	240	5'	#4 SC
100EXTHG-25	100	240	25'	#4 SC
100EXTHG-50	100	240	50'	#4 SC
100EXTHG-100	100	240	100'	#4 SC



Stage Pin Extension Cables

Ordering Information

Example: 25', 20A., 125V., Extension

Catalog No.: 20EXTGP-25

20 EXT GP - 25

Ampacity of assembly _____

Type of assembly _____

EXT = Extension cable

Type of Wiring device _____

GP = 125V. Stage Pin

GH = 240V. Stage Pin (60 or 100A. only)

Length _____

Custom Extension Cables

Union Connector can build cable sets with a variety of options:

- Custom lengths
- Velcro cableties
- Colored covers on 20A. cable sets
- Engraved covers
- For more information or a price quotation, contact Union Connector at 631-753-9550




NEMA U-Ground Extension Cables

15A. and 20A. Extensions


- 12/3 SO Type Hard-usage Cable
- Edison "U-Ground" connectors
- Standard Lengths - 5' - 100'
- 15A. and 20A.



Catalog Number	Ampacity	Voltage	Length	Cable
15EXTUG-5	15	125	5'	12/3SO
15EXTUG-10	15	125	10'	12/3SO
15EXTUG-25	15	125	25'	12/3SO
15EXTUG-50	15	125	50'	12/3SO
15EXTUG-75	15	125	75'	12/3SO
15EXTUG-100	15	125	100'	12/3SO
20EXTUG-5	20	125	5'	12/3SO
20EXTUG-10	20	125	10'	12/3SO
20EXTUG-25	20	125	25'	12/3SO
20EXTUG-50	20	125	50'	12/3SO
20EXTUG-75	20	125	75'	12/3SO
20EXTUG-100	20	125	100'	12/3SO



15A.



20A.

Ordering Information

Example: 25', 20A., 125V., Extension

Catalog No.: 20EXTUG-25

20 EXT UG - 25

Ampacity of assembly _____
 Type of assembly _____
 EXT = Extension cable
 Type of Wiring device _____
 UG = 125V. Edison (U-Ground)
 Length _____

Custom Extension Cables

Union Connector can build cable sets with a variety of options:

- Custom lengths
- Velcro cableties
- Special Marking on cables
- For more information or a price quotation, contact Union Connector at 631-753-9550




NEMA Locking Extension Cables

20A. and 30A. Extensions


- 12/3 SO Type Hard-usage Cable
- Edison "U-Ground" connectors
- Standard Lengths - 5' - 100'
- 15A. and 20A.




Catalog Number	Ampacity	Voltage	Length	Cable
20EXTGL-5	20	125	5'	12/3SO
20EXTGL-10	20	125	10'	12/3SO
20EXTGL-25	20	125	25'	12/3SO
20EXTGL-50	20	125	50'	12/3SO
20EXTGL-75	20	125	75'	12/3SO
20EXTGL-100	20	125	100'	12/3SO
20EXTGL14-5	20	125/250	5'	12/3SO
20EXTGL14-10	20	125/250	10'	12/3SO
20EXTGL14-25	20	125/250	25'	12/3SO
20EXTGL14-50	20	125/250	50'	12/3SO
20EXTGL14-75	20	125/250	75'	12/3SO
20EXTGL14-100	20	125/250	100'	12/3SO
20EXTGL21-5	20	120/208	5'	12/5SO
20EXTGL21-10	20	120/208	10'	12/5SO
20EXTGL21-25	20	120/208	25'	12/5SO
20EXTGL21-50	20	120/208	50'	12/5SO
20EXTGL21-75	20	120/208	75'	12/5SO
20EXTGL21-100	20	120/208	100'	12/5SO
30EXTGL14-5	30	125/250	5'	10/3SO
30EXTGL14-10	30	125/250	10'	10/3SO
30EXTGL14-25	30	125/250	25'	10/3SO
30EXTGL14-50	30	125/250	50'	10/3SO
30EXTGL14-75	30	125/250	75'	10/3SO
30EXTGL14-100	30	125/250	100'	10/3SO
30EXTGL21-5	30	120/208	5'	10/5SO
30EXTGL21-10	30	120/208	10'	10/5SO
30EXTGL21-25	30	120/208	25'	10/5SO
30EXTGL21-50	30	120/208	50'	10/5SO
30EXTGL21-75	30	120/208	75'	10/5SO
30EXTGL21-100	30	120/208	100'	10/5SO




L5-20




L14-20



L21-20



L14-30



L21-30



NEMA Locking Extension Cables

Ordering Information

Example: 25', 20A., 125V., Extension

Catalog No.: 20EXTGL-25

20 EXT GL - 25

Ampacity of assembly _____

Type of assembly _____
EXT = Extension cable

Type of Wiring device _____
GL = 125V., NEMA L5
GL14 = 125/250V., NEMA L14
GL21 = 120/208V., NEMA L21

Length _____

Custom Extension Cables

Union Connector can build cable sets with a variety of options:

- Custom lengths
- Velcro cabling
- Special marking on cable
- Colored strain reliefs
- For more information or a price quotation, contact Union Connector at 631-753-9550



Miscellaneous Cable Assemblies

Two-fers

- 12/3 SO Type Hard-usage Cable
- Molded "Y"
- Standard 36" length



Catalog Number	Description
CABLE 12/3 SO 2-FER 36"	12/3 SO Molded 'Y' Cable, no connectors
2FUG-36-12/3-15A	15A. 2-Fer, 5-15 Edison (U-Ground)
2FUG-36-12/3	20A. 2-Fer, 5-20 Edison (U-Ground)
2FGP-36-12/3	20A. 2-Fer, Stage pin
2FGL-36-12/3Y	20A. 2-Fer, L5-20 Twist Locking

Three-fers

- 12/3 SO Type Hard-usage Cable
- Molded "W"
- Standard 36" length



Catalog Number	Description
CABLE 12/3 SO 3-FER 36"	12/3 SO Molded 'W' Cable, no connectors
3FUG-36-12/3-15A	15A. 3-Fer, 5-15 Edison (U-Ground)
3FUG-36-12/3	20A. 3-Fer, 5-20 Edison (U-Ground)
3FGP-36-12/3	20A. 3-Fer, Stage pin
3FGL-36-12/3Y	20A. 3-Fer, L5-20 Twist Locking

Adapters

- 12/3 SO Type Hard-usage Cable
- Standard Pin and NEMA connectors
- Standard 6" length



Catalog Number	Description
15ADUGF/GPM	15A. 5-15R Parallel blade Edison female to 20A. Stage pin male
15ADUGM/GPF	15A. 5-15P Parallel blade Edison male to 20A. Stage pin female
20ADUGF/GPM	20A. 5-20R Edison female to 20A. Stage pin male
20ADUGM/GPF	20A. 5-20R Edison male to 20A. Stage pin female
20ADGLF/GPM	20A. L5-20R Locking female to 20A. Stage pin male
20ADGLM/GPF	20A. L5-20R Locking male to 20A. Stage pin female



Miscellaneous Cable Assemblies

Snakebites (CAM TO PIN ADAPTERS)

- #4 SC Type Stage Cable
- Standard Lengths - 36"
- 120V. And 240V. available
- 2P&G Pin connectors
- Leviton Cam connectors




Catalog Number	Description
100ADGPM/CLF	100A., 120V. Stage Pin male to (3) Cam female pigtals
100ADHGM/CLF	100A., 240V. Stage Pin male to (3) Cam female pigtals

Ordering Information

Example: 20A. Adapter, U-Ground Female to Stage Pin male

Catalog No.: 20ADUGF/GPM



Custom Adapters / Assemblies

Union Connector can build adapters with a variety of options:

- Hi-temp fibreglass sleeving over hi-temp conductors instead in lieu of SO cable
- Custom lengths
- Special marking on cable
- Colored strain reliefs or covers
- For more information or a price quotation, contact Union Connector at 631-753-9550



19-Pin Cable Assemblies

Extensions

- Standard 19-Pin connectors
- Soldered connections
- Flexible 12/14 Pro-flex cable



Catalog Number	Circuits	Length
20EXTMP-25	6	25'
20EXTMP-50	6	50'
20EXTMP-75	6	75'
20EXTMP-100	6	100'

Break-ins / Break-outs

- Standard 19-Pin connectors
- Soldered connections
- (6) 36" 12/3SJ cable tails



Catalog Number	Type	Male	Female
20EXTMP16-GP	Break-out	19-Pin	Stage Pin
20EXTMP16-GL	Break-out	19-Pin	L5-20
20EXTMP16-UG	Break-out	19-Pin	U-Ground
20EXTMP16-GPM	Break-in	Stage Pin	19-Pin
20EXTMP16-GLM	Break-in	L5-20	19-Pin
20EXTMP16-UGM	Break-in	U-Ground	19-Pin

Custom Assemblies

Union Connector can build multi-pin assemblies with a variety of options:

- Custom lengths
- Special marking on cable
- Other multi-pin devices available (7-pin, etc.)
- For more information or a price quotation, contact Union Connector at 631-753-9550