CUSTOM
PORTABLE
POWER
DISTRIBUTION

Distros for Studio Events Convention Centers Stadiums Stage A/V













www.unionconnector.com

Bulletin: CPD-113 copyright © 2013 Union Connector

Custom Distros



Union Connector has specialized in custom distro design and manufacture for more than 40 years. Designs range from simple 20A. breakout boxes to outdoor, 3-phase power centers on wheels with multiple branch circuits and combinations of receptacle styles.

We use state-of-the-art 3D CAD/CAM manufacturing technology to design and fabricate our products. This reduces production time and provides high-quality gear for a reasonable cost.

Contact our engineering department to discuss your needs and see how we can help provide you with a safe, reliable, UL Listed, distro.

Features and Options:

- ULc Listed
- Powder Coated Steel or Anodized Aluminum enclosures
- Copper wiring and bussing
- Ratings: 120V., 120/240V., 120/208V.
- Branch-rated circuit breakers
- Pigtail or Panel-mount Input
- Inlet/Outlets: Cam, Stage Pin, NEMA(Edison & Locking), Pin & Sleeve, 19-pin
- Reverse Ground/Neutral Option
- Feed-thru Option
- Isolated Ground Option
- NEMA 3R Options
- Rack and Case mount Options
- Main breaker Option
- Accessories: Wheels, Handles, Floorstands

Examples of Pigtail Boxes



Convention Center Booth Distro

Enclosure: NEMA 1, 12" x 6" x 6", anodized aluminum

Inlet: Pigtail, 12 ft. 6/4SO, 60A., 240V., NEMA14-60

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (6) 20A., 1-pole

Outlets: (6) 20A., 125V., duplex – 3 per phase

Feed-Thru: (1) 60A., 240V., NEMA 14-60

Listing: UL Listed





Music Pavilion Distro

Enclosure: NEMA 1, 24" x 10" x 14", anodized aluminum

Inlet: Pigtail, 12 ft. (5) #2SC,

100A., 120/208V., IEC 309 Pin & Sleeve

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (3) 30A., 2-pole

(3) 20A., 2-pole (9) 20A., 1-pole

Outlets: (3) 30A., 125/250V., L14-30

(3) 20A., 250V., L6-20

(6) 20A., 125V., 5-20 duplex (Black/Red/Blue) (3) 20A., 125V., 5-20 duplex Isolated Ground

Listing: UL Listed





Convention Center Floorbox Distro

Enclosure: NEMA 1, 12" x 6" x 6", powder coated steel

Inlet: Pigtail, 6 ft. 10/5SO,

30A., 120/208V., NEMA L21-30

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (6) 20A., 1-pole

Outlets: (6) 20A., 125V. GFCI duplex – 2 per phase



Examples of Small Distros



Motor Reversing/Control Distro

Enclosure: NEMA 1, 24" x 6" x 6", powder coated steel

Inlet: Panel mount, 30A., 120/208V. L21-30

Circuit Molded-case, UL489, 10K AIC @ 240V., switch-rated

Breakers: (1) 30A., 3-pole Main

(4) 20A., 3-pole (1) 20A., 1-pole

Switch: 30A., DPDT, center OFF

Outlets: (4) 20A., 120/208V., L21-20

(1) 20A., 125V., 5-20 duplex

Feed-Thru: 30A., 120/208V. L21-30

Listing: UL Listed





A/V Distro

Enclosure: NEMA 1, 12" x 6" x 6", powder coated steel

Inlet: Panel mount, 30A., 120/208V. L21-30

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (2) 20A., 2-pole

(2) 20A., 1-pole

Outlets: (4) 20A., 125/250V. L14-20

(4) 20A., 125V., 5-20 duplex (Black/Red)

Listing: UL Listed





Studio Distro on casters

Enclosure: NEMA1, 12" x 6" x 5", anodized aluminum, wall mount brakets

Inlet: (5) 400A., 120/208V., Panel Mount Cam Series 16

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (4) 100A., 1-pole

Outlets: (4) 100A., 120V., 100-2P&G Stage Pin (Red/Black/Red Blue)

Feed-Thru: (5) 400A., 120/208V., Panel Mount Cam Series 16





Examples of Large Distros



Studio Distro on casters

Enclosure: NEMA1, 24" x 10" x 14", anodized aluminum

Inlet: (5) 400A., 120/208V., Panel Mount Cam Series 16

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (3) 100A., 1-pole

(3) 60A., 2-pole (3) 60A., 1-pole (12) 20A., 1-pole

Outlets: (3) 100A., 120V., 100-2P&G Stage Pin (Black/Red Blue)

(3) 60A., 240V., 60-2H&G Stage Pin

(3) 60A., 120V., 60-2P&G Stage Pin (Black/Red Blue)

(12) 20A., 125V., 5-20 duplex (Black/Red Blue)

Listing: UL Listed





Cruise Ship Audio Distro

Enclosure: NEMA1, 14" x 10" x 14", anodized aluminum

Inlet: (1) Panel Mount, 100A., 120/208V. IEC309 Pin & Sleeve

(1) Mini-Cam (Green) Frame Ground

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (12) 20A., 1-pole

Outlets: (12) 20A., 125V., 5-20 duplex, Isolated Ground

Listing: UL Listed



A/V Distro

Enclosure: NEMA1, 24" x 10" x 14", anodized aluminum

Inlet: (5) 400A., 120/208V., Panel Mount Cam Series 16

Circuit Molded-case, UL489, 10K AIC @ 240V.

Breakers: (27) 20A., 1-pole

Outlets: (4) 20A., 120V., 19-Pin, 6-circuit Soca type

(3) 20A., 125V., 5-20 duplex (Black/Red Blue)





Examples of Load Center Distros



Arena Floor Distro

Enclosure: NEMA1, 16" x 16" x 4", powder coated steel

Inlet: (1) Panel Mount, 30A., 125/250V., L21-30

Circuit Plug-on, UL489, 10K AIC @ 240V.

Breakers: (8) 20A., 1-pole

Outlets: (8) 20A., 125V., 5-20 duplex

Listing: **UL Listed**



Convention Center Distro

Enclosure: NEMA1, 30" x 16" x 4", hinged door, powder coated steel

Inlet: (5) 200A., 120/208V., Panel Mount Cam Series 16

Circuit Plug-on, UL489, 10K AIC @ 240V.

Breakers: (1) 150A., 3-pole Main

(2) 30A., 2-pole (16) 20A., 1-pole

Outlets:

(2) 30A., 125/250V., L14-30

(16) 20A., 125V., 5-20 duplex

UL Listed Listing:



Event Center Distro

Breakers:

Outlets:

Enclosure: NEMA1, 24" x 16" x 4", hinged door, powder coated steel

Inlet: (5) 400A., 120/208V., Panel Mount Cam Series 16

Circuit Plug-on, UL489, 10K AIC @ 240V.

(24) 20A., 1-pole (16) 20A., 1-pole

(16) 20A., 125V., 5-20 duplex

Feed-Thru: (5) 400A., 120/208V., Panel Mount Cam Series 16

UL Listed Listing:



Examples of Outdoor Distros



Carnival Distro

Enclosure: NEMA3R, 24" x 18" x 10", powder coated galvanized steel,

shed roof, NEMA 3R breaker/outlet covers, 12" formed legs

Inlet: (5) 400A., 120/208V., Panel Mount Cam Series 16

Circuit Molded case, UL489, 10K AIC @ 240V.

Breakers: (9) 20A., 3-pole

(3) 20A., 1-pole

Outlets: (9) 20A., 120/208V. L21-20

(3) 20A., 125V., 5-20 duplex

Feed-Thru: (5) 400A., 120/208V., Panel Mount Cam Series 16

Listing: UL Listed





Stadium Distro

Enclosure: NEMA3R, 42" x 30" x 10", hinged door, powder coated

steel, ASA Grey 61, hinged cable access trapdoor,

welded legs

Inlet: (5) 400A., 120/208V., Panel Mount Cam Series 16

Circuit Molded case, UL489, 10K AIC @ 240V.

Breakers: (1) 100A., 3-pole Main

(18) 20A., 1-pole

Outlets: (18) 20A., 125V., 5-20 GFCI duplex

Listing: UL Listed



Outdoor Arena Distro

Enclosure: NEMA3R, 18" x 10" x 6", anodized aluminum,

NEMA3R breaker/outlet covers, formed steel legs

Inlet: (3) 100A., 120V., Panel Mount mini-Cam Series 15

Circuit Molded case, UL489, 10K AIC @ 240V.

Breakers: (10) 20A., 1-pole

Outlets: (10) 20A., 125V., 5-20 GFCI duplex



Distro Accessories



Cables

Cable connections to and from distros should be made with extra heavy duty rated cables such as S, SO, SOW multi cables or SC single conductor cables. Junior rated cables such as SJ may be allowed in certain applications, such as two-fers.

Union connector can provide complete cabling packages using the appropriate sized cables and connector combinations. Our cables follow NEC guidelines and are tested to insure proper continuity.

All Union Connector cables are manufactured per order so that we can provide the best solution to your power distribution needs. Contact the factory to discuss your specific requirements and to obtain a quote based on the current price of copper cable.





Connectors

Union Connector manufactures and distributes a wide range of wiring devices, including the types most commonly used in the entertainment industry:

- Stage Pin
- Cam
- Locking
- Edison
- Pin & Sleeve
- 19-pin





www.unionconnector.com Jacksonville, FL

Tel: 631-753-9550 Fax: 631-753-9560